



**C-router**  
CDMA/CDMA1x to RS-232 and Ethernet Gateway  
**Release Notes**



Author	RFI Support Team
Revision	<b>A1</b>
Version	<b>RN_C-router_1.2.2</b>
Date	14-06-2011
Covering Product code	<b>C-router, RE.41.CDMA</b>



# Contents

1	Introduction .....	4
2	Release Notes Software Version 1.2.2.....	5
3	Release Notes Software Version 1.2.1.....	6



## Revision History

Revision	Reason	Author	Date
00120	New release, release 1.2.1	FRK	31-03-2011
00122	First version, covering release 1.2.2	FRK	14-06-2011

## References

Reference	Description	Code
1	C-router Quick Install Guide v. 1.1	<b>QIG_C-router_1.1</b>

# 1 Introduction

The general purpose CDMA/CDMA1x C-router is designed as an intelligent global wireless data transmitter, which can be effectively deployed in sensor networks, smart monitoring and monitoring applications. Data can be transmitted in "Push" or "Pull" mode, stored and aggregated along preset criteria. Intelligent monitoring can be used e.g. in "Managed Services": to monitor modems, installed on corporate customer premises, providing a redundant link for maintenance and support purposes. The CDMA Dual Band 800/1900MHz technology will bring immediate benefits such as online connections plus cost efficient, high-speed data transmission. The optional remote power switch can be used for an effective reboot of the connected equipment.

This document provides information on the following topics:

- C-router new features for the described software version.
- C-router bug-fixes for the described software version.
- C-router known issues for the described software version.

For general C-router configuration and setup, consult the C-router Quick Installation Guide.

## 2 Release Notes Software Version 1.2.2

Version 1.2.2 contains the following amendments/ fixes:

- Added the RFI flavor for automatic over-the-air activation.

Procedure: Contact Sprint or another network operator using the MEID of the C-router you like to activate. The network operator assigns a phone number to the C-router. The C-router will automatically accept an over-the-air activation from the network operator.



### **3 Release Notes Software Version 1.2.1**

Version 1.2.1 is the first release of the C-router.